

SHOOT

LIKE IT'S THE 21st CENTURY

2026



MADE IN NORWAY



DESIGNED TO ADAPT

INDEX:

- 3 Support
- 4 Who we are

GRS RIFLE STOCKS:

- 6 Bifrost
- 8 Fenris
- 10 Ragnarok
- 12 Ragnarok 2.0
- 14 Warg
- 16 Laminates
- 18 Lightweight Classic
- 20 Thumbhole
- 22 Loke
- 24 Hunter Light
- 26 Sporter
- 28 Blank stocks

GRS EXTRA OPTIONS:

- 30 GRS Bipod
- 31 GRS Arca-Rail
- 32 GRS spigot
- 33 Spigot Adapter for Picatinny Rail
- 34 1" GRS Limbsaver Airtech Recoil pad
- 34 GRS height Adjustable recoil pad
- 35 GRS Rearbags

BITS AND PIECES:

- 36 Newsletter
- 36 Social media
- 37 Maintenance
- 37 Assembling
- 37 Glass bedding
- 37 Warranty
- 38 A word from our ambassadors



Built with precision and cutting edge technology. Blended by creativity and innovative design. These are components that make our rifle stocks fit. It is simple, yet unique.

GRS is fueled by a passionate team of hunters and shooters. This passion inspires us to create what we believe are the best rifle stocks on the market.

OSCAR HAUGEN, CEO / PRESIDENT

SUPPORT

Normal support and inquiries should be addressed to your local GRS dealer or distributor first. In case they do not have the answers you need, please feel free to contact us directly.

Dealer locator:



www.grsriflestocks.com/dealers

Who we are

GRS Riflestocks is driven by entrepreneurship and innovation, creating unique rifle stocks that fit and feel right. That's right.

They say children learn to smile from their parents. Values and attitudes are often transferred between generations, and like many other Norwegian companies, GRS is a result of a family business with long traditions.

It all started in 1983, when our parents established Grodås Møbler – a production company specialised on furniture. A passion for craftsmanship infused

“We took what we had - field experience and CNC machining expertise along with a good portion of guts, and we never looked back. We craved success by hard work.”

the walls, with a hard-line focus on quality. This led to rapid growth in a short time.

As young kids we worked in the factory nearly every day after school. We were taught the skills of young entrepreneurs. The skill of craftsmanship. Learning to work hard, taking nothing for granted.

Although chairs and sofas are all fine, our true passion was always shooting and hunting. When Håvard bought his first guns and ammo magazine in 1985, we read eagerly. This sparked the interest for the weapons industry further.

After his graduation, Håvard started to work with CNC programming and machining. This was an eye-opener that gave us almost limitless possibilities. Imagine having the ability to take an idea and make it into a product – it was simply amazing. Håvard's brilliant mind on R&D and development was soon to be combined with Oscar's field experience and business sense.

Oscar worked outside the company for a couple of years after graduating in 1997. In 2000 he joined the Norwegian Army on mandatory service for one year. After the mandatory year, he was enrolled in the Norwegian National guard – where he immediately started in the specialist branch. Being with the QRF sharpshooters for 3 years, and working as a QRF sharpshooter Team leader for 7 years, he developed his skills and experience. When his contract ended, he took over as CEO and part owner of GRS in March 2010.

But times were tough. From 2008 to 2010, the company's history could be summarised with

one word: crisis. The Norwegian furniture market crashed during the financial crisis, and we needed a new approach to survive.

Luckily, we still had the CNC machines and our staff to help us. So, we took what we had of field experience and CNC machining expertise and created something new. Along with a good portion of guts, we launched our first rifle stock – and we never looked back. We craved success by hard work and lots and lots of travelling, on a mission to keep the company alive.

From that point, GRS was established and trademarked in 2011.

Our first stock hit a nerve. Both the industry and our customers saw our stocks for what they were – they simply made people shoot better. The word spread quickly online and on social media, and soon we were shipping to every corner of the world. During that time, we worked night and day to establish our distribution network.

Today we can have a laugh about it, as we are represented in 45 countries around the world. And the GRS brand is globally recognised as an innovative premium brand.

This is a position we intend to keep. We travel more than ever to visit our distributors and follow up new customers. We have become a staff of 26 passionate employees and the growth is healthy. And we smile every day knowing that more hunters and shooters will get to know GRS.

We make people shoot more accurately because the rifles fit better. What more could we ask for? And maybe we haven't seen nothing yet.



GRS Bifrost

Unlock the power of ultimate adjustability

The Bifrost is our most adjustable and lightweight composite stock. Rugged and weatherproof with an ergonomic grip and fore-end that give you full control over your rifle in any condition.

This stock has a height and canting adjustable recoil pad as standard and it is spigot ready. Picatinny rails, flush cups, QD sling mounts, bipod sling stud installed, you name it. This is truly the ultimate in our fiberglass composite rifle stocks.

- Low maintenance synthetic materials
- Adjustable LOP and cheekpiece for faster and more accurate shots
- Ergonomic rubber grips
- Canting and height adjustable recoil pad
- Perfect for stalking, long range hunting and competition

What's in the box? Stock, QD Sling Swivels, Picatinny Rail and GRS Decals

SPECIFICATIONS BIFROST

Fiberglass reinforced body

GRS SpeedLock II adjustment system

LOP 13,7-14,9 in, 35-38 cm

0.5" GRS Limbsaver Airtech recoil pad

Total length 31,5 in, 80,0 cm
(depending on system inlet)

Forend width 2,24 in, 57 mm

Weight 2,9 lb, 1350 grams

No bedding required

Flush cup sling mounts and push button sling loops

One sling mount on the front for mounting bipods

Canting of recoil pad in 5° increments

Prepared for mounting Picatinny rails

2 Picatinny rails included

2 pcs. quick detachable flush cup sling mounts

Recommended torque settings 5.2 nm

GRS Fenris


The easy way to improve your shooting

The Fenris is a great value, adjustable stock with a super strong body made with reinforced fiberglass. Whatever your aim at, Fenris is versatile enough to handle it. The stealth grey color blends with the black details and makes the stock equally esthetic as functional when merging into the surroundings.

Designed to work with all body types and clothing, it provides the accuracy and confidence to hit your target. This heavy hitter knocks out standard stocks with its gritty composition and top-tier ergonomics. The honeycomb grip stands out in appearance and performance with a superior look and non-slip, vibration dampening design.

- Low maintenance synthetic materials
- Adjustable LOP and cheekpiece for faster and more accurate shots
- Ergonomic honeycomb grip for better recoil absorption
- Bedding is installed as a standard to prevent flexing and reduce movement
- Prepared to fit a height adjustable recoil pad to be added for prone shooting
- Perfect for varmint hunting, driven hunts and competitions

What's in the box? Stock, QD Sling Swivels and GRS Decals.



SPECIFICATIONS FENRIS
Fiberglass reinforced body
GRS SpeedLock adjustment
LOP 13,1-14,2 in (33,5-36,3 cm)
0.5" GRS Limbsaver Airtech recoil pad
Total length 29,7 in, 75,5 cm
Forend width 2,28 in, 58 mm
Weight 3,0 lb, 1400 grams
No bedding required
Pillar bedding installed
Flush cup sling mounts and push button sling loops
One sling mount on the front for mounting bipods
Optional extra feature: Height adjustable recoil pad





GRS Ragnarok

Ragnarok - the superior shooting platform from GRS.

Take your Blaser R8 and R93 professional rifles to the next level. Fully adjustable to fit your rifle to your body. Prepared for using the GRS Arcarail and Bag Rider (sold separately) A hinged folding mechanism is standard for easy maintenance and transport. M-Lok forend so you can use the top-mounted GRS Bipod, front-mounted night vision, IR Illuminators, or to attach your Magneto speed chronograph.

The Ragnarok is a shooting machine!

- Low maintenance synthetic materials
- Adjustable LOP and cheekpiece for faster and more accurate shots
- Ambidextrous rubber grip
- M-Lok patterned aluminum fore-end
- Bedding is not required
- Perfect for long range, tactical and competition

What's in the box? Stock, QD Sling Swivels and GRS Decals

SPECIFICATIONS RAGNAROK

6063 Anodized Aluminium body

GRS Speedlock II adjustment system

Hinge included

LOP 14,8-15,9 in (37,5-40,5 cm)

0.5 GRS Limbsaver Airtech recoil pad

Total length 34,8 in, 88,5 cm

Forend width 1,65 in, 42 mm

Weight 4,5 lb, 2036 grams

No bedding required

Flush cup sling mounts and sling loops included

Canting of recoil pad in 5° increments

Prepared for mounting Picatinny rails on the forend

1 Picatinny rail on the rear stock included

Recommended torque settings 5.5 nm



GRS Ragnarok 2.0

The new Tactical ambidextrous Chassis from GRS!

The Ragnarok 2.0 is GRS's next-generation Chassis stock for long-range and PRS-style shooting. It is developed with inputs from retired US SF and Force recon operators. The 2.0 has everything you need. Folding stock, Adjustable Thumb rests, an integrated Arca rail for shooting with Tripods, our M-Lok fore-end, and a fully adjustable rear stock. The GRS Bipod pairs perfectly with this stock. Made for Short-action double-stack AICS magazines.

The 2.0 is RH/ LH action compatible in the same stock and is available in Remington 700, Bergara B14, Rem 700 Clones, and the Tikka T3, T3X & CTR action inlets. More will be added in 2025.

We recommend using the separately sold products with the Ragnarok to take the setup to the absolute limit:

- GRS Bipod & adapter set
- Bag Rider
- GRS Arca rail

What's in the box? GRS Ragnarok stock, Two QD Sling Swivels, Owners Manual, GRS Decals.

SPECIFICATIONS RAGNAROK 2.0

6063 Anodized Aluminium body

GRS Speedlock II adjustment system

Hinge included

LOP 13,78-14,96 in (35-38 cm)

0.5 GRS Limbsaver Airtech recoil pad

Total length 34,65 in, 88 cm

Forend width 1,65 in, 42 mm

Weight 4,43 lb 2,01 kg

No bedding required

Flush cup sling mounts and sling loops included

Canting of recoil pad in 5° increments

Prepared for mounting Picatinny rails on the forend

1 Picatinny rail on the rear stock included

Recommended torque settings 5.5 nm



GRS Warg

Make a statement!

The GRS Warg stock gives you the best of two worlds.

Fully adjustable, & ergonomic, and the best features of a rigid chassis stock fore-end.

You can use our top-mounted GRS bipod, front mounted Night Vision, IR illuminators, - and more - thanks to its very adaptable M-Lok patterned aluminum fore-end. The GRS Warg is developed for the long range shooter and is one of our absolute favorites combined with a 338 Lapua rifle.

- Low maintenance synthetic materials
- Adjustable LOP and cheekpiece for faster and more accurate shots
- Ergonomic rubber grip
- M-Lok patterned aluminum fore-end
- Bedding is not required
- Perfect for long range, tactical and professional hunter

What's in the box? Stock, QD Sling Swivels and GRS Decals

SPECIFICATIONS WARG

Fiberglass reinforced body

GRS SpeedLock II adjustment system

LOP 13,7-14,9 in, 35-38 cm

0.5" GRS Limbsaver Airtech recoil pad

Total length 31,7 in, 80,7 cm (depending on system inlet)

Forend width 1,65 in, 42 mm

Weight 2,9 lb, 1350 grams

No bedding required

Flush cup sling mounts and push button sling loops

One sling mount on the front stock

Canting of recoil pad in 5° increments

Prepared for mounting Picatinny rails

1 Picatinny rail included

2 pcs. quick detachable flush cup sling mounts

Recommended torque settings 5.2 nm





Laminates

INCLUDE

- Oiled finish
- 0.5" GRS Limbsaver recoil pad
- GRS SpeedLock adjustment
- Drop-in inlet – glass bedding recommended



GRS Lightweight Classic

Extremely lightweight at 868 grams, and fitted with an Ambidextrous classic grip!

We are proud to release the Lightweight Classic stock to the market at last. We know that weight is a crucial factor for all hunters, especially those in the mountains. GRS also wanted to have something for our customers who want the adjustments we are known for, with an improved classic grip. The Lightweight classic, designed for a Tikka T3 inlet, weighs only 868 grams, making it a perfect match for lightweight rifles. The push-button adjustment is only for the cheekpiece, and spacers can be used to lengthen the stock by up to 4 cm. We chose this solution to minimize the weight. Made with Birch laminate and featuring an oiled finish, this stock looks fantastic in the four colors we have available. The stock has two sling studs mounted as standard.

Please note that this stock is designed for standard slim barrel channels, such as the Hunter Light and GRS Thumbhole.

We recommend the following products to pair with the GRS Lightweight Classic stock:

- GRS Spacer Kit, two pack.
- GRS Rear Bag.

What's in the box? GRS Thumbhole stock, Owner's manual, GRS Decals.



SPECIFICATIONS LIGHTWEIGHT CLASSIC

Birch Laminate
GRS SpeedLock adjustment
LOP 12.8 in (32,5 cm)
0.5" GRS Limbsaver Airtech recoil pad
Total length 27.56 in, 70 cm
Forend width 1,77 in, 45 mm
Weight 1,98 lb, 900 grams
Glass bedding is recommended
Flush cup sling mounts and push button sling loops
Color Nordic Wolf, GMC, Black Orange, Brown



GRS Thumbhole

The first thumbhole stock from GRS!

We are proud to announce the arrival of the GRS Thumbhole stock. It offers perfect ergonomics, classic lines, and all the adjustability you need to give you a perfect shooting and hunting experience. The stock is made from super-strong Birch Laminate, and its oiled finish brings out the beauty of the Laminated wood.

Bring your A game to the shooting range and into the woods for hunting.

Please note, this stock is made for the standard slim barrel channels like the Hunter Light.

We recommend the following products to pair with the GRS Thumbhole stock:

- GRS Height-adjustable recoil pad option.
- GRS Rear Bag.

What's in the box? GRS Thumbhole stock, Owner's manual, GRS Decals.



SPECIFICATIONS THUMBHOLE

Birch Laminate
GRS SpeedLock adjustment
LOP 14,17-15,35 in (36 cm - 39 cm)
0.5" GRS Limbsaver Airtech recoil pad
Total length 29,13 in, 74 cm
Forend width 2,32 in, 59 mm
Weight 2,87 lb, 1300 grams
Glass bedding is recommended
Flush cup sling mounts and push button sling loops
Max Caliber: 375 H&H
Height adjustable recoil pad
Color Nordic Wolf, GMC, Black Orange, Brown



GRS Loke

The **NEW** ambidextrous competition platform, is ready to make you WIN!

GRS Loke is an Ambidextrous Laminate stock for long-range, PRS, and NRL shooting. GRS Loke is prepared to mount Arca rails and the GRS Spigot. The stock has a sleek design and a textured grip with thumb rests incorporated into the almost 90-degree angle grip.

Loke's recoil line and the included height-adjustable recoil pad make the rifle track excellently under fire, allowing the shooter to spot impacts while shooting. Loke is predrilled for mounting Arca rail to the fore-end to enable use with Tripods, Bipods, and shooting bags. The Loke comes in the Nordic Wolf color and has a smooth matt laquer finish.

Made in state-of-the-art CNC machines and hand-finished, this masterpiece perfectly matches technology and craftsmanship.

We recommend the following products to pair with the Loke stock:

- GRS Arca Rail.
- GRS Bipod.
- GRS Spigot.
- GRS Rear bag.

What's in the box? GRS Hunter Light Stock, Two QD sling swivels, Owners Manual, GRS Decals.



NEW

SPECIFICATIONS LOKE

Birch Laminate
GRS SpeedLock adjustment
LOP 13,98-14,76 in (35.5cm - 37.5cm)
0.5" GRS Limbsaver Airtech recoil pad
Total length 33,45 in, 85 cm
Forend width 2,32 in, 59 mm
Weight 3,97 lb, 1800 grams
Glass bedding is recommended
Flush cup sling mounts and push button sling loops
One sling mount on the front for mounting bipods
Height adjustable recoil pad
Color Nordic Wolf



GRS Hunter Light

Pack lighter, travel farther

The Hunter Light is a favorite amongst new hunters just getting into the sport and the alpine hunters looking for the lightest setup possible.

A perfect start to a hunting career - A stock that will grow with you.

The Hunter Light stock is 25% lighter than all other GRS laminate models.

A 5% scaled-down grip and length of pull make it our shortest and slimmest stock offering. The famous push-button cheek piece adjustment and the ergonomic grip are standard. You can increase the length of pull by adding 1cm spacers, so the stock is very adaptable. The LOP will be extended from 32,5 cm to 34,5 cm using both the included spacers.

- Adjustable cheekpiece for faster and more accurate shots
- Light weight and compact laminate stock
- Slimmer grip surfaces
- Standard barrel channel
- Perfect for alpine hunting, stalking, women, youth

What's in the box? Stock, Sling studs (installed). 2 pc spacers (installed) and GRS Decals.

SPECIFICATIONS HUNTER LIGHT

Birch Laminate
GRS SpeedLock adjustment
LOP 12,8 in (32,5 cm up to 35,5 cm with spacers)
0.5" GRS Limbsaver Airtech recoil pad
Oiled finish
Total length 28,1 in, 71,5 cm
Forend width 1,81 in, 46 mm
Weighs 2,3 lb, 1050 grams (+ - 10% depending on weapon inlet)
Glass bedding is recommended
Available in 4 colors
Standard barrel channel





GRS Sporter

Combine hunting and shooting
- The ultimate allrounder

All the adjustability and ergonomics you need to make your rifle fit you 100%. Get in the crosshairs faster!

This stock is favorite with hunters and competition shooters alike. Truly an allrounder, and our all-time best-selling laminate model. Equipped with our famous SpeedLock adjustment system, and the ergonomic GRS grip. If you shoot prone or standing, we recommend adding the height-adjustable recoil pad option for added shooting comfort.

- Adjustable LOP and cheekpiece for faster and more accurate shots
- Prepared to fit a height adjustable recoil pad to be added for prone shooting
- Perfect for driven hunts, stalking and competition

What's in the box? Stock, Sling Studs (installed), and GRS Decals.

SPECIFICATIONS SPORTER

Birch Laminate
GRS SpeedLock adjustment
LOP 13,1-14,2 in (33,5-36,3 cm)
0,5" GRS Limbsaver Airtech recoil pad
Oiled finish
Total length 29,9 in, 76,0 cm
Forend width 2,08 in, 53 mm
Weighs 3,0 lb, 1380 grams (+ - 10% depending on weapon inlet)
Glass bedding recommended
Available in 4 colors
Varmint barrel contour



GRS Blank Stocks

All GRS laminate models and colors can be purchased as blanks (not cut for an inlet). Blank stocks can be milled out individually for desired inlet by a **gunsmith post-purchase**. Here shown: GRS Hunter Light, Nordic Wolf, RH, blank.



Right



Left



Bottom



Top



Extra options



GRS Bipod

There is no precision without steadiness. A Good bipod means a world of difference.

Even though it was originally designed as a prone shooting, heavy duty top mount bipod for the Ragnarok chassis stock, the new GRS Bipod can also serve in other applications. It is built around a rugged design, is simple and functional to operate, and is also fitted to the GRS spigot with tighter tolerances than you would normally find in a spigot mounted bipod. It is adjustable from 220-315 mm - in 10 mm increments, and can be used top mounted in the forend underneath the barrel. The feet have two surfaces (clawed and smooth) easily changed by rotation. All adjustments are easily made via spring-loaded buttons - and rotation can be locked after levelling. The GRS Bipod is something we have always wanted to do, a sturdier platform for long-range and precision shooting.

The GRS bipod requires the use of our GRS spigot, which provides ease of use and ruggedness superior to the "universal fit". Our GRS spigots are readily available - with or without a Picatinny rail adapter.

Made from 6061 Aluminium and stainless-steel.



GRS Arca Rail

The New GRS Arca Rail kit makes the best of the standard to improve your shooting.

As a new add-on for the Ragnarok chassis stock we now offer the GRS Arca Rail kit which mounts to the underside of this stock's front end.

This rail can be used for tripod mount, attaching shooting bags, hand stops, barricade devices, bipods or any Arca Rail standard equipment. The rail is attached using two M-Lok fasteners in front (included), and four screws in the rear of the rail. These four screws replace the previous bolts that fixed the front end of the Ragnarok chassis stock. This means that when you use the GRS Arca Rail you can later - if needed - remove the front end and the new Arca Rail as a unit - and without the need to disassemble both.

The GRS Arca Rail is made of 6061 Aluminium and stainless-steel.



Extra options



GRS Spigot

The spigot fits the original and Versa-Pod style attachment bipods and is easy to install.

The GRS Spigot gives you easy to use detachable bipod mount, close to the core of the barrel. This give you better control when shooting with bipods. It weights 61 grams (including screws).

Shoot straight!

1. Open up the bolt hole where the fastening screw is to be mounted to 6mm.
2. Insert the spigot into the Bifrost stock with the stopper facing downwards, towards the ground.
3. Use the supplied short screw in the front Picatinny bolt hole to secure the spigot.
4. If you are using the Picatinny rail on the bottom front of the Bifrost stock, use the longer screw to secure the spigot.



GRS Spigot Adapter for Picatinny Rail

The GRS Spigot to Picatinny rail adapter is here! An easy installation enables you to use the GRS Spigot for VersaPod style bipods on your Picatinny railed forend.

You can use this adapter for both bottom and top mounted use. The adapter is made from 6063 anodized aluminium and weighs 96 grams (including screws).



Extra options



GRS Height Adjustable Recoil Pad

Customize your GRS Stock with the option to adjust the height of your recoil pad. An excellent addition that comes in handy for all shooting positions. The option is made in hard anodized aluminium with stainless steel springs and screws.

bottom and can be set in 4mm steps from zero to -16mm and +28mm.

The GRS height adjustable recoil pad is standard on the GRS Bifrost. You may also easily mount it post purchase.

The **full adjustment** is 44mm from top to

1" GRS Limbsaver Airtech Recoil Pad

You can order your GRS rifle stock to come with 1" GRS Limbsaver Airtech recoil pad for a low additional cost. You may also easily mount post purchase. **Fits all models.**

GRS Bagrider

A GRS Bag Rider is the perfect match for the GRS Rear Bag for correct, smooth, and frictionless recoil absorption. This product is a "must-have" when using a rear bag and installs in minutes onto the Picatinny rail on the rear end of Bifrost, Warg, or Ragnarok stock.

The best way to support shooting with bipods

Add the new and improved GRS Rear bag under your stock! This is one of our bestsellers.

the stock slide easily during recoil, giving you maximum accuracy.

GRS Rear Bag will help you shoot more accurately with Bipods. This works better than monopods. The bag's surface is smooth to let

The rear bag is crafted from durable Cordura fabric and features a zipper, allowing you to easily adjust the contents to suit your needs.





Glass bedding should always be carried out by a gunsmith and is always required for the following inlets:

- Schultz & Larsen
- Rössler Titan 6
- Sauer 100
- Blaser R8 Professional
- Blaser R93 Offroad/Professional.

Within this warranty period GRS Riflestocks AS agrees to correct any defect in the product for the original purchaser by repair, adjustment or replacement with the same or equal quality components.

The warranty covers defects in materials and workmanship. There will be exclusions to the warranty where a defect is caused by misuse, maintenance neglect, tampering, or unauthorised repair of the product.

GRS Warranty

The warranty period for a GRS rifle stock applies for five (5) years from the date of purchase. To obtain warranty service, the original proof of purchase will be required.

To obtain service under the warranty, please contact your place of purchase.

Bits and pieces

Maintenance

GRS laminate rifle stocks are treated with an **oiled finish**. It is important to maintain this finish **2-3 times a year** (frequency depends on the use) to prevent moisture from entering the laminate. All oiled wooden and laminate stocks need maintenance. We recommend GRS Oil or, if not available, Birchwood Casey Tru-Oil®

Please ask your local gunsmith or stock maker how to refurbish the stocks. If you are in doubt about this process, please ask your GRS dealer for assistance or watch our **instructional video** on our YouTube channel.

Assembly

Most GRS laminate stocks are manufactured as a drop-in inlet. With few exceptions it is a **matter of undoing the action screws**

and move the action to the **GRS stock**. The recommended torque on the screws are:

- Laminate: 3-3.5 N·m (26-31 In/lbs),
- Fenris: 5 Nm (45 In/lbs)
- Bifrost: 5.2 Nm (45 In/lbs)
- Warg: 5.2 Nm (45 In/lbs)
- Ragnarok: 5.5 Nm (45 In/lbs)
- Berserk: 5 Nm (45 In/lbs) *(Discontinued)*
- Bolthorn: 5.5-6 Nm (48-53 In/lbs) *(Discontinued)*

If in doubt, please contact your **GRS dealer or gunsmith for assistance**.

Glass bedding

Despite the drop-in inlet fitting, **we recommend to glass bed** all our laminate stocks for maximum accuracy. If you are shooting magnum calibers, glass bedding is **always required** so the action does not have any play during recoil.



GRS Newsletter

Get the latest news ahead of everybody else by signing up on our newsletter. Simply go to our website to sign up today. We frequently add our product development insights to our blog post library.



facebook.com/grsriflestocks



youtube.com/grsriflestocks



grsriflestocks

GRS Social Media

We continuously update our Social Media presence on YouTube, Instagram and Facebook. Look for our work or our clients' photo submissions in our Instagram and Facebook feeds. You will also find - in our YouTube channel, continuous updates and upgrades to our instructional videos.

A word from our ambassadors

« I use GRS because I wanted to improve my shooting. Besides all the ergonomic adjustments, Bifrost easily accepts bidpods, cameras, search lamp etc. and can withstand really tough conditions. »

Christoffer Zetterdal, Sweden

« While hunting Arctic foxes in a vast open landscape, I spend a long time behind the rifle. The adjustability of the GRS stocks and ergonomic design put a minimum strain on my body, allowing me to stay out longer and hunt harder. »

Gunnar, from Gunnar & Alma, Iceland

« I use GRS Riflestocks because it has good grip and helps me shoot accurately. It's very easy to adjust while hunting whenever I need it. »

Janne Svihus, Norway

« GRS's range of models is perfect for me, because I shoot both long distance and hunting, and it's quality and finish are impeccable, as well as their service. »

Knut Erik Rognes, Norway

« We use Blaser direct pull rifles with GRS Bifrost stock. Bifrost stock fits well for us because its many features enable multipurpose hunting for us. »

Team Karhukopla, Finland

« I feel GRS's riflestocks give me the best shooting comfort, and make me a safer and better hunter. »


Elisabeth Idland, Norway

« After I started using the GRS Bifrost on my custom build long-range rifle, the grouping became tighter at all ranges. I have great grip and control over the rifle, even in bad weather conditions. I simply shoot better and I am more effective when I'm out hunting. »

Alma, from Gunnar & Alma, Iceland

 **MADE IN NORWAY**

We have endeavoured to make sure that all product photos and specifications in this brochure are updated and accurate. Please note that - due to our focus on the continuous improvement of our product line - changes in design or materials may occur after the publication of this brochure. GRS Riflestocks AS reserves the right to modify or change specifications without notice.




GRS[®]
GRSRIFLESTOCKS.COM